

## Worm gearboxes in O-Series and P-Series

Worm gearbox	Ratio	Max. output torque [Nm]	Housing design	Weight [Kg]
30	maj-80	21	Aluminium	1.05
45	7 - 102	41	Aluminium	2.4
50	7 - 100	72	Aluminium	3
63	7 - 94	147	Aluminium	6
63A	7 - 94	191	Aluminium	6
85	7 - 96	347	Aluminium	11
110	7 - 99	651	Aluminium	35
P45	30.1 - 439	55	Aluminium	3.2
P50	30.1 - 430	88	Aluminium	3.8
P63	29.9 - 111	187	Aluminium	7.3
	(IEC 90-80-71)			
	139 - 434			7.8
	(IEC 71 - 63)			
P6A	29.9 - 111	218	Aluminium	7.3
	(IEC 90-80-71)			
	139 - 434			7.8
	(IEC 71 - 63)			
P85	59.7 - 605	440	Aluminium	19.3
P10	83.2 - 624	803	Cast iron	41
303	150 - 2400	35	Aluminium	2.15
453	140 - 2400	69	Aluminium	3.6
503	252 - 2400	109	Aluminium	4.2
633	252 - 2745	230	Aluminium	7.5
634	252 - 2520	265	Aluminium	8.9
6A3	252 - 2745	290	Aluminium	8.9
6A4	252 - 2520	340	Aluminium	8.9
854	140 - 2856	518	Aluminium	19.5
115	210 - 3000	978	Aluminium	38